

L Number	Hits	Search Text	DB	Time stamp
1	138	(370/316,330,329,468,319,321,323.ccls. or 455/12.1.ccls. or 342/354.ccls. or 370/\$.ccls.) and satellite and reconfigur\$7 and (chang\$5 or tun\$5 or program\$5) near3 (frequency or channel) and (@ad<=19990503)	USPAT; US-PGPUB; DERWENT	2003/01/10 11:57
2	12	((370/316,330,329,468,319,321,323.ccls. or 455/12.1.ccls. or 342/354.ccls. or 370/\$.ccls.) and satellite and reconfigur\$7 and (chang\$5 or tun\$5 or program\$5) near3 (frequency or channel) and (@ad<=19990503)) and rout\$6 near3 table	USPAT; US-PGPUB; DERWENT	2003/01/10 11:57

	U	1	Document ID	Issue Date	Pag es	Title	Current OR	Current XRef	Retrieval Classif
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6334219 B1	20011225	179	Channel selection for a hybrid fiber coax network	725/106	341/100; 370/280; 375/235; 375/286	
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6292651 B1	20010918	175	Communication system with multicarrier transport distribution network between a head end terminal and remote units	725/106	370/342; 455/562; 725/114	
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6101180 A	20000808	62	High bandwidth broadcast system having localized multicast access to broadcast content	370/352	370/270; 370/337; 370/347; 370/389; 370/432; 370/486; 709/203	
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6058307 A	20000502	97	Priority and preemption service system for satellite related communication using central controller	455/428	455/12.1	
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6014374 A	20000111	67	Subscriber RF telephone system for providing multiple speech and/or data signals simultaneously over either a single or a plurality of RF channels	370/345	370/336; 370/521; 375/222; 455/418	
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5978370 A	19991102	15	Circuit-switched switching system	370/370	370/411	
7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5734678 A	19980331	71	Subscriber RF telephone system for providing multiple speech and/or data signals simultaneously over either a single or a plurality of RF channels	375/240	370/330; 370/436; 370/478; 455/403; 455/509	
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5687194 A	19971111	66	Subscriber RF telephone system for providing multiple speech and/or data signals simultaneously over either a single or a plurality of RF channels	375/283	370/330; 370/347; 370/436; 370/478; 455/403; 455/466	

	U	1	Document ID	Issue Date	Pag es	Title	Current OR	Current XRef	Retrieval Classif
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5673252 A	19970930	117	Communications protocol for remote data generating stations	370/449	370/346; 370/349; 370/350	
10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5657358 A	19970812	79	Subscriber RF telephone system for providing multiple speech and/or data signals simultaneously over either a single or plurality of RF channels	375/356	370/330; 370/347; 370/477; 455/422	
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5195092 A	19930316	49	Interactive multimedia presentation & communication system	725/146	340/825.5; 370/498; 370/528; 725/109; 725/116; 725/122	
12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4625308 A	19861125	105	All digital IDMA dynamic channel allocated satellite communications system and method	370/321		